AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1. (currently amended) A composition for feeding monogastric animals comprising a controlled release lipid matrix and a mixture of active substances <u>incorporated within the matrix</u>, wherein:
- [[-]] the controlled release lipid matrix consists of (a) at least one hydrogenated vegetalvegetable triglyceride selected from the group consisting of: palm butter, sunflower oil, corn oil, rape oil, peanut oil or soybean oil or (b) animal triglycerides chosen among bovine tallow or swine lard;
- [[-]] the mixture of active substances consists of at least one organic acid and at least one aromatizing agent wherein the organic acid is selected from the group consisting of:
- [[-]] formic acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition;
- [[-]] lactic acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition;
- [[-]] citric acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition;
- [[-]] fumaric acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition;
- [[-]] malic acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition; or
- [[-]] sorbic acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition;
- and the aromatizing agent is selected form from the group comprising of natural or natural-similar aromatizing agents chosen among: mixtures of herbs, extracts from plants, oleoresins, essential oils, aromatizers and natural fragrances.
- 2. (cancelled)
- 3. (original) The composition according to claim 1, wherein said organic acids are present in form of salts.
- 4. (currently amended) The composition according to claim 3, wherein said salts of organic acids are chosen among:

- [[-]] calcium formate in an amount of 5 to 35% by weight, with respect to the weight of the composition;
- [[-]] and potassium sorbate in an amount of 5 to 20% by weight, with respect to the weight of the composition.
- 5. (original) The composition according to claim 1, wherein said composition is microencapsulated and is in the physical form of spheres having a diameters of 100 to 2000 microns.
- 6. (original) The composition according to claim 1, wherein said composition further comprises orthophosphoric acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition.
- 7. (currently amended) A method for preparing a composition according to claim 1 comprising the following stages:
- [[-]] place an homogenous mass comprising a melted lipid matrix and additives in a container;
- [[-]] disperse into said homogenous mass a mixture of active substances consisting of at least one organic acid and/or salts thereof and at least one aromatizing agent; and
- [[-]] spray in a cold room the mass obtained in the previous stage.
- 8. (currently amended) The method according to claim 7, wherein said lipid matrix consists of at least one hydrogenated <u>vegetalvegetable</u> triglyceride selected from the group consisting of: palm butter, sunflower oil, corn oil, rape oil, peanut oil or soybean oil.
- 9. (currently amended) The method according to claim 7, wherein said organic acids are selected from the group consisting of:
- [[-]] formic acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition;
- [[-]] lactic acid in an amount of 0.1 to 50% by weight, with respect to the weight-of the composition;
- [[-]] citric acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition;
- [[-]] fumaric acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition;
- [[-]] malic acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition; or

- [[-]] sorbic acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition[[;]].
- 10. (currently amended) The method according to claim 7, wherein the aromatizing agent is selected form from the group comprising of natural or natural-similar aromatizing agents chosen among: mixtures of herbs, extracts from plants, oleoresins, essential oils, aromatizers and natural fragrances.
- 11. (original) The method according to claim 7, wherein said lipid matrix consists of animal triglycerides chosen among bovine tallow or swine lard.
- 12. (original) The method according to claim 9, wherein said organic acids are present in form of salts.
- 13. (currently amended) The method according to claim 12, wherein said salts of organic acids are chosen among:
- [[-]] calcium formate in an amount of 5 to 35% by weight, with respect to the weight of the composition;
- [[-]] and potassium sorbate in an amount of 5 to 20% by weight, with respect to the weight of the composition.
- 14. (original) The method according to claim 7, wherein said composition is microencapsulated and is in the physical form of spheres having a diameters of 100 to 2000 microns.
- 15. (original) The method according to claim 7, wherein said composition further comprises orthophosphoric acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition.
- 16. (currently amended) A method for contrasting the development of bacteria or pathogenic fungi in animals' gastro-resistant system comprising a step in which monogastric animals are feededfed with a composition comprising a controlled release lipid matrix and a mixture of active substances wherein:
- [[-]] the controlled release lipid matrix comprises at least one hydrogenated vegetalvegetable triglyceride;
- [[-]] the mixture of active substances comprises at least one organic acid and at least one aromatizing agent selected form from the group comprising of natural or natural-similar aromatizing agents.

- 17. (currently amended) The method according to claim 16 wherein said hydrogenated vegetalvegetable triglyceride is selected from the group comprising of: palm butter, sunflower oil, corn oil, rape oil, peanut oil or soybean oil[[;]].
- 18. (currently amended) The method according to claim 16, wherein said organic acid is selected from the group comprising of:
- [[-]] formic acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition;
- [[-]] lactic acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition;
- [[-]] citric acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition;
- [[-]] furnaric acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition;
- [[-]] malic acid in an amount of 0.1 to 50% by weight, with respect to the weight of the composition; or
- [[-]] sorbic acid in an amount of 0.1 to 60% by weight, with respect to the weight of the composition.
- 19. (original) The method according to claim 16, wherein said aromatizing agent is selected from the group: mixtures of herbs, extracts from plants, oleoresins, essential oils, aromatizers and natural fragrances.
- 20. (original) The method according to claim 16, wherein the intestinal microbism is equilibrated in order to contrast the proliferation of unwanted intestinal microflora in the animals.